Valid from 2019-08-09

Version 1.0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1. Product identifier Trade name:

Disicide[®] Concentrate 600 ml Art.nr. 035001

1500 ml Art.nr. 035002

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the Substance/Mixture: Biocides

Uses advised against: At this moment we have not identified any uses advised against

1.3 Details of the supplier of the safety data sheet

Manufacturer

Terapima Svenska AB Smidesvägen 13 SE – 24534 Staffanstorp, Sweden +46 46 238495 info@disicide.com

1.4 Emergency telephone number

Please call your local emergency number

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Hazard class Skin corrosion Specific target organ toxicity – single exposure	Hazard category Category 1B Category 3	Target Organs Respiratory system	Hazard statements H314 H335
Acute aquatic toxicity	Category 1		H400
Chronic aquatic toxicity	Category 2		H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Most important adverse effects

Human Health	Chronic exposure damages the brain and the central nervous system. Inhalation may cause the following effects: May cause respiratory irritation. Skin contact may cause the following effects: Burns with pain, redness and wounds. Eye contact may cause the following effects: Splashes in the eyes may cause painful burns, which may result in permanent damage to the eyes.
Physical and chemical hazards	Strong heating may produce combustible vapours which can form explosive mixture with air. To be stored as flammable liquid.
Potential environmental effects	Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard symbols:



Valid from 2019-08-09

Version 1.0

Signal word:	Danger	
Hazard statements:	H314	Causes severe skin burns and eye damage.
	H335	May cause respiratory irritation.
	H410	Very toxic to aquatic life with long lasting effects.
Precautionary statem	nents	
Prevention:	P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:	P303 + P30	61 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin	with water/shower.
	P304 + P34	40 + P310
	IF INHAL	ED: Remove person to fresh air and keep comfortable for breathing.
	Immediate	ly call a POISON CENTER/doctor.
		51 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
	Remove co	ontact lenses, if present and easy to do. Continue rinsing.

Hazardous components which must be listed on the label:

• 2-aminoethanol • Didecyldimethyl ammonium chloride • Potassium carbonate • propan-2-ol

2.3. Other hazards

For Results of PBT and vPvB assessment see section 12.5. Contains organic solvents. To be stored as flammable liquid.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous components	Amount [%]	Classification (REGULATION (EC) No 1272/ Hazard class / Hazard category	,
 2-aminoethanol			
Index-No: 603-030-00-8	>= 5 - < 10	Acute Tox.4	H332
CAS-No: 141-43-5		Acute Tox.4	H312
EC-No: 205-483-3		Acute Tox.4	H302
EU REACH: 01-2119486455-28-xxxx		Skin Corr.1B	H314
Reg. No: -		STOT SE3	H335
5		Aquatic Chronic3	H412
Didecyldimethylammonium chloride		*	
Index-No: 612-131-00-6	>= 5 - < 10	Acute Tox.3	H301
CAS-No: 7173-51-5		Skin Corr.1B	H314
EC-No: 230-525-2		Aquatic Chronic1	H410
		Aquatic Acute1	H400
Alcohols C16-18, ethoxylated			
CAS-No: 68439-49-6	>= 3 - < 10	Eye Irrit.2	H319
EC-No: 5002128			
Propan-2-ol			
Index-No: 603-117-00-0	>= 1 - < 3	Flam. Lig.2	H225
CAS-No. : 67-63-0		Eye Irrit.2	H319
EC-No. : 200-661-7		STOT SE3	H336
EU REACH: 01-2119457558-25-xxxx			
Reg. No. :			

For the full text of the H-Statements mentioned in this Section, see Section 16.

Valid from 2019-08-09

Version 1.0

4. FIRST AID MEASURES

4.1. Description of first aid measures

If inhaled:	Move to fresh air. Consult a physician.	
In case of skin contact:	Wash off immediately with soap and plenty of water. Remove contaminated clothing and shoes. Call a physician immediately.	
In case of eye contact:	Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses. Continue rinsing eyes during transport to hospital.	
If swallowed:	Call a physician immediately. Rinse mouth with water. Drink 1 or 2 glasses of water. DO NOT induce vomiting unless directed to do so by a physician or poison control center.	
4.2. Most important symptoms and effects, both acute and delayed Symptoms: See Section 11 for more detailed information on health effects and symptoms.		

Effects: See Section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No further information available.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

6 6	Water spray, foam, dry powder or CO2. High volume water jet
5.2. Special hazards arising from the Specific hazards during firefighting:	
5.3. Advice for firefighters Special protective equipment for firefighters:	In the event of fire, wear self-contained breathing apparatus. Wear personal protective equipment. Choose protective equipment according to size of fire.
Further advice:	No further information available.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:

Wear personal protective equipment. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).

6.2. Environmental precautions

Should not be released into the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

For personal protection see section 8.

7. HANDLING AND STORAGE

Valid from 2019-08-09

Version 1.0

7.1. Precautions for safe handling

Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures:

Smoking, eating and drinking should be prohibited in the application area. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Storage must follow the regulations for flammable liquids.

7.3. Specific end use(s) Specific use(s):

No information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Component: 2-aminoethanol CAS-No. 141-43-5 Other Occupational Exposure Limit Values

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, Time Weighted Average (TWA): 1 ppm, 2,5 mg/m3 Indicative

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, Short Term Exposure Limit (STEL): 3 ppm, 7,6 mg/m3 Indicative

8.2. Exposure controls

Personal protective equipment

Respiratory protection

Advice: Required, if exposure limit is exceeded (e.g. OEL). Recommended Filter type:A

Hand protection

Advice: Wear suitable gloves.

Eye protection

Advice:

Tightly fitting safety goggles

Skin and body protection Advice: Cor

Complete suit protecting against chemicals

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Liquid
Blue
No data available
No data available
12,9 (20 °C)
No data available
No data available
>65 °C
No data available
23 hPa (20 °C)

Valid from 2019-08-09

Version 1.0

Relative vapour density:
Density:
Water solubility:
Partition coefficient:
Auto-ignition temperature:
Thermal decomposition:
Viscosity, dynamic:
Explosivity:
Oxidizing properties:

No data available 1,06 g/cm3 (20 °C) Completely soluble N-octanol/water: no data available No data available No data available 30 mPa.s (20 °C) The product does not present an explosion hazard. No data available

9.2. Other information

No further information available.

10. STABILITY AND REACTIVITY	
10.1. Reactivity Advice:	Stable at normal ambient temperature and pressure.
10.2. Chemical stability Advice:	No decomposition if stored and applied as directed. No further information available.
10.3. Possibility of hazardous Hazardous reactions:	s reactions No information available.
10.4. Conditions to avoid Conditions to avoid:	Protect from frost, heat and sunlight.
10.5. Incompatible materials Materials to avoid:	No information available.
10.6. Hazardous decomposition productsHazardous decomposition productsNo information available.	
11. TOXICOLOGICAL INFORMATION	

11.1. Information on toxicological effects

Data for the product	Acute toxicity
Oral Acute toxicity estimate:	> 2000 mg/kg) (Calculation method)
Inhalation Acute toxicity estimate:	> 20 mg/l (4 h; vapour) (Calculation method)
Dermal Acute toxicity estimate:	> 2000 mg/kg) (Calculation method)
~	Irritation
Skin Result:	May cause burns with pain, redness and wounds.
Eyes Result:	Splash in the eyes may cause painful burns, and may result in permanent damage to the eyes.
	Sensitisation No data available
CMR Properties	CMR effects

Valid from 2019-08-09	Version 1.0	
Carcinogenicity:	No data available	
Mutagenicity: Reproductive toxicity:	No data available No data available	
	Specific Target Organ Toxicity	
Single exposure	No data available	
Repeated exposure	No data available	
	Other toxic properties	
Repeated dose toxicity	No data available	
Aspiration hazard	No data available	
	Further information	
Experience with human exposure	Contains organic solvents. Chronic exposure damages the brain and the central nervous system.	
Component: didecyldimeth	<i>aylammonium chloride CAS-No. 7173-51-5</i> Acute toxicity	
	Oral	
LD50	238 mg/kg (Rat) (OECD Test Guideline 401)	
	Dermal	
LD50	3342 mg/kg (Rabbit)	
Component: 2-aminoethar	<i>tol CAS-No. 141-43-5</i> Acute toxicity	
	Oral	
LD50 Oral	1089 mg/kg (Rat) (OECD Test Guideline 401) Cause serious burns with severe pains, vomiting, pains in the stomach, possibly chock and damaged kidneys. The burn may occur even if only small amounts have been swallowed.	
LC50	Inhalation > 1,3 mg/l (Rat; 6 h; vapour) Harmful by inhalation. Inhalation may cause pain to nose and throat, cough, headache and poorly.	
12. ECOLOGICAL INFORMATION		
12.1. Toxicity		
Component: didecy	<i>vldimethylammonium chloride CAS-No. 7173-51-5</i> Acute toxicity	
	Fish	
LC50	0,19 mg/l (Pimephales promelas (fathead minnow); 96 h) (US-EPA)	
	Toxicity to daphnia and other aquatic invertebrates	
EC50	0,062 mg/l (Daphnia magna; 48 h) (Immobilization; EPA-FIFRA)	

Valid from 2019-08-09	Version 1.0
	Algae
ErC50	0,026 mg/l (Pseudokirchneriella subcapitata (green algae); 96 h) (Growth inhibition; OECD Test Guideline 201)
	Bacteria
EC50	11 mg/l (activated sludge; 3 h) (Respiration inhibition; OECD Test Guideline 209)
	Chronic toxicity
	Fish
NOEC	0,032 mg/l (Danio rerio (zebra fish); 34 d) (OECD Test Guideline 210)
	Aquatic invertebrates
NOEC	0,010 mg/l (Daphnia magna (Water flea); 21 d) (Reproductive toxicity; OECD Test Guideline 211)
	M-Factor
M-Factor (Acute Aquat. Tox.)	10
M-Factor (Chron. Aquat. Tox.)	1
Component: 2-aminoethanol	<i>CAS-No. 141-43-5</i> Acute toxicity
	Fish
LC50	170 mg/l (Carassius auratus (goldfish); 96 h) (static test; APHA 1971)
LC50	349 mg/l (Cyprinus carpio (Carp); 96 h) (semi-static test; Tested according to Directive 92/69/EEC.)
	Toxicity to daphnia and other aquatic invertebrates
EC50	65 mg/l (Daphnia magna; 48 h)
	Algae
EC50	22 mg/l (Scenedesmus subspicatus; 72 h) (Growth inhibition; Tested according to Directive 92/69/EEC.)
EC50	2,5 mg/l (Scenedesmus capricornutum (fresh water algae); 72 h) (Growth inhibition; OECD Test Guideline 201)
	Bacteria
EC20 EC50	> 1000 mg/l (activated sludge; 0,5 h) (OECD Test Guideline 209) 110 mg/l (Pseudomonas putida; 16 h) (DIN 38412)
EC50	> 1000 mg/l (activated sludge; 3 h) (OECD Test Guideline 209
	Chronic toxicity Fish
NOEC	1,2 mg/l (Oryzias latipes (Orange-red killifish); 30 d)

Valid from 2019-08-09	Version 1.0					
	Aquatic invertebrates					
NOEC	0,85 mg/l (Daphnia magna (Water flea); 21 d) (OECD Test Guideline 211)					
12.2 Persistence and degradability						
Result	Inhalation No data available					
Component: didecyldimethyl ammonium chloride CAS-No. 7173-51-5 Persistence and degradability						
	Biodegradability					
Result	72 % (Exposure Time: 28 d)(OECD Test Guideline 301B)Readily biodegradable.					
Result	91 % (Exposure Time: 24 - 70 d)(OECD 303 A)					
Component: 2-aminoethanol CAS-No. 141-43-5 Persistence and degradability						
	Biodegradability					
Result	> 90 % (aerobic; activated sludge; Exposure Time: 21 d)(OECD Test Guideline 301A) Readily biodegradable.					
12.3 Bioaccumulative potential						
Component: didecyldimethyl ammonium chloride CAS-No. 7173-51-5 Bioaccumulation						
Result	BCF: 2,1 Bioaccumulation is not expected.					
<i>Component: 2-aminoethanol CAS-No. 141-43-5</i> Bioaccumulation						
Result	log Kow -1,91 Bioaccumulation is not expected.					
12.4. Mobility in soil						
<i>Component: 2-aminoethanol</i> Mobility	<i>tol CAS-No. 141-43-5</i> The substance will not evaporate into the atmosphere from the water surface. Not expected to adsorb on soil.					
12.5. Results of PBT and vPvB assessment						
Data for the product	Results of PBT and vPvB assessment					
Result	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.					
12.6. Other adverse effects						
Data for the product						

Valid from 2019-08-09

Version 1.0

Additional ecological information

Result

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product

Eliminate waste in conditions authorized by the regulations. Store waste in containers provided for this purpose. Do not dump in drains, water sheets or the ground.

Contaminated packaging

Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

European Waste Catalogue Number

No waste code according to the European Waste Catalogue can be assigned for this product, as the intended use dictates the assignment. The waste code is established in consultation with the regional waste disposer.

14. TRANSPORT INI					
14.1. UN number	1903				
14.2. UN proper shippi	ng name				
ADR	DISINFECTANT, LIQUID, C (Didecyldimethylammonium				
RID	DISINFECTANT, LIQUID, C (Didecyldimethylammonium c				
IMDG	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecyldimethylammonium chloride, Ethanolamine)				
14.3. Transport haza	urd class(es)				
ADR-Class (Labels; Classification Code; Hazard identification No; Tunnel restriction code)			8 8; C9; 80; (E)		
RID-Class (Labels; Classification Code; Hazard identification No)			8 8; C9; 80		
IMDG-Class (Labels; EmS)			8 8; F-A, S-B		
14.4. Packaging group					
ADR III RID III IMDG III					
14.5. Environmental hazards					
Environmentally hazardous according to ADR Environmentally hazardous according to RID Marine Pollutant according to IMDG-Code		Yes Yes Yes			
14.6. Special precautions for user		Not applicable.			

Valid from 2019-08-09

Version 1.0

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Data for the product

Pregnant and nursing women may not be exposed to the product. Take in consideration the national regulation. As a principal rule, persons under 18 years are not allowed to work with this substance. Only persons, who are thoroughly instructed in the dangerous properties and the necessary safety precautions of the substance, are allowed to work with it.

15.2. Chemical safety assessment

No data available

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- **H319** Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- **H336** May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and Acronyms

- BCF Bioconcentration factor
- **BOD** Biochemical oxygen demand
- CAS Chemical Abstracts Service
- CLP Classification, Labelling and Packaging
- CMR Carcinogenic, mutagenic or toxic to reproduction
- COD Chemical oxygen demand
- **DNEL** Derived no-effect level
- EINECS European Inventory of Existing Commercial Chemical Substances
- ELINCS European List of Notified Chemical Substances
- Globally Harmonized System of Classification and Labelling of Chemicals
- LC50 Median lethal concentration
- LOAEC Lowest observed adverse effect concentration
- LOAEL Lowest observed adverse effect level
- LOEL Lowest observed effect level
- NLP No-longer polymer
- NOAEC No observed adverse effect concentration
- NOAEL No observed adverse effect level
- NOEC No observed effect concentration
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- OEL Occupational exposure limit
- **PBT** Persistent, bioaccumulative and toxic
- **PNEC** Predicted no-effect concentration
- STOT Specific target organ toxicity
- SVHC Substance of very high concern

Valid from 2019-08-09

Version 1.0

UVCB Substance of unknown or variable composition, complex reaction products or biological materialsvPvB Very persistent and very bioaccumulative

Key literature references and sources for data

Supplier information and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used to create this safety data sheet.

Methods used for product classification

The classification for human health, physical and chemical hazards and environmental hazards were derived from a combination of calculation methods and if available test data.

Hints for trainings

The workers have to be trained regularly on the safe handling of the products based on the information provided in the Safety Data Sheet and the local conditions of the workplace. National regulations for the training of workers in the handling of hazardous materials must be adhered to.

Indicates updated section.

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Mixing ratio: 1:32 30 ml Disicide Concentrate to 1000 ml water.